


T5S-R1E. 2nd Mer



T1S-R2E. 2nd Mer

113	113	113	113	114	114
6	5	4	3	2	1
129-137	129-137	134	133	131	130
7	8	9	10	11	12
127-137	127-136	127-133	127-132	127-131	130
18	17	16	15	14	13
124-138	125-127	125-126	125-126	125-126	125
19	20	21	22	23	24
122	122-124	122-124	122-123	122-123	123
30	29	28	27	26	25
119	119-121	119-121	119-121	120	120
31	32	33	34	35	36
116	116-117	116-117	116-117	116-117	116-117

Township No. 1. S. R. No. 2. E. 2^d Mer.
Indiana

East line continued on base line Towns. 141. in R. D.
3.85 Go a Hickory 20 ins. dia
40.00 Set $\frac{1}{2}$ mile post from which a B. Oak 10 ins. dia. bears
S 15 E 35 lbs.
80.00 Set post cor. of Sec. No. 31 & 32, T. 1. N. R. 2. E. from
which a Hick. 10 ins. dia. bears N 71 W 11 lbs. & a Hick.
10 ins. dia. bears S 47 E 20 lbs. Land & Timber same kind

East line continued
40.00 Set $\frac{1}{2}$ mile post from which a Hick. 7 ins. dia. bears
N 68 W 14 lbs. & a Hick. 6 ins. dia. bears N 13 W 14 lbs
80.00 Set post cor. of Sec. No. 32 & 33 T. 1. N. R. 2. E. from
which a Beech 20 ins. dia. bears. N 59 E 16 $\frac{1}{2}$ lbs. & an Elm
8 ins. dia. bears S 11 E 26 lbs. Land & Timber the same

East line continued
1.25 Go a Gum 20 ins. dia
20.30 Brook 20 lbs. wide course S. E.
25.00 Go a Hickory 20 ins. dia.
40.00 Set $\frac{1}{2}$ mile post from which a W. Walnut 6 ins. dia
bears N 3 W 14 lbs. & a W. Walnut 7 ins. dia. bears S 36 W 20 lbs.
80.00 Set post cor. of Sec. No. 33 & 34 T. 1. N. R. 2. E. from which
a W. Oak 10 ins. dia. bears N 21 W 29 lbs. & a W. Oak 12 ins. dia
bears S 70 E 17 lbs. Good farming Oak & Hick. Timber land

East line continued
23.50 Brook 10 lbs. wide course South
24.10 Go a W. Oak 20 ins. dia
40.00 Set $\frac{1}{2}$ mile post from which a W. Oak 10 ins. dia. bears
S 26 W 19 lbs. & a Gum 8 ins. dia. bears N 47 W 21 lbs.
80.00 Set post cor. of Sec. No. 34 & 35 T. 1. N. R. 2. E. in a Brook
50 lbs. wide course S. from which a Sugar 10 ins. dia. bears
N 42 E 34 lbs. & a Cherry 24 ins. dia. bears S 18 E 31 lbs.

T. 1. S. R. 2. E. of Mer. Ind.

Land the same

East	line continued
40.00	Set $\frac{1}{4}$ mile post from which a W. Oak 8 ins. dia bears N 14 W 24 lbs. & a W. Oak 8 ins. dia. bears N 88 E 10 lbs.
80.00	Set post cor. of Sec. No. 35 & 36. T. 1. S. R. 2. E. from which a B. Oak 20 ins. dia. bears S 42 E 10 lbs. & a Hickory 15 ins. dia. bears N 49 E 22 lbs. Thin Oak & Hickory Limb. Land.
East	line continued
40.00	Set $\frac{1}{4}$ mile post from which a Hickory 6 ins. dia. bears N 6 E 18 lbs. & a B. Oak 20 ins. dia. bears S 36 W 35 lbs.
80.00	Set post cor. of T. No. 1. N 4 T. 1. S in R. 2 & 3 E. from which a Hickory 6 ins. dia. bears S 48 E 24 lbs. & a W. Oak 12 ins. dia. bears N 28 E 22 lbs. Thin broken brushy briery soil very thin Limb. with Oak & Hickory
North	On E. side of Sec. No. 36 in T. 1. S. R. 1. E
20.00	Co a Poplar 10 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a Hickory 10 ins. dia. bears S 80 E 12 lbs. & a Sugar 13 ins. dia. bears N 80 W 8 lbs
65.00	Co a Run small course E.
80.00	Set post cor. of Sec. No. 25 & 36 from which a Gum 7 ins. dia. bears N 60 E 24 lbs. & a W. Oak 13 ins. dia bears S 30 W 38 lbs. Good soil, fallen Limbs, & grown over with Bush & Pines runs in a meandering manner
North	On E. side of Sec. No. 25. in T. 1. S. R. 1. E
20.00	Co a Sugar tree 10 ins. dia
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 7 ins. dia. bears N 75 E 30 lbs. & a Dog? 7 ins. dia. cor. tree in fallen Limb
60.00	Co open Limb. land
80.00	Set post cor. to Sec. No. 24 & 25 from which a B. Oak 18 ins. dia. bears S 20 E 10 lbs. & a Dog? 7 ins. dia

T. I. S. R. I. E. of Mer. Ind.

115

bears N. 10 E 15 lbs Good land. Timber Sugar tree
Poplar Oak & Hickory - Spice W. G.

North On E. Side of Sec. No. 24. T. I. S. R. I. E

- 10.05 Co a Dogwood 5 ins. dia
40.00 Co a " 5 " " for 1/4 sec. corner, from
which a Sugar tree 7 ins. dia, bears N 75 W 30 lbs
56.00 Co a Small run 6 lbs. w. a course N. E
73.60 Co " " 6 " " " N. E
80.00 Set post cor. of Sec. 13 & 24 from which a Dog? 9 ins. dia
bears N 30 E 26 lbs. & a Gum 8 ins. dia, bears S 81 W 27 lbs
Good upland. Timber Oak Sugar tree Hickory & Buck
level land

North On E. Side of Sec. No. 13. T. I. S. R. I. E

- 15.00 Co Vincennes trace
40.00 Set 1/4 sec. post from which a W. Walnut 7 ins. dia bears
S 70 E 6 lbs. & a Sugar tree 15 ins. dia bears S 70 W 30 lbs
53.10 Co a Hickory 10 ins. dia in line
80.00 Set post cor. of Sec. No. 12 & 13 from which a Poplar 15
ins. dia, bears N 70 W 30 lbs. & a Dog? 6 ins. dia, bears
S 70 E 10 lbs. - First 1/2 thin soil - rest rich hills
Walnut Poplar Oak & Hickory. Timber

North On E. Side of Sec. No. 12. T. I. S. R. I. E

- 5.30 Co a W. Oak 10 ins. dia. in line
40.00 Set 1/4 sec. post from which a B. Oak 15 ins. dia. bears
N 60 E 9 lbs. & a Hickory 12 ins. dia. bears S 30 W 10 lbs.
80.00 Set post cor. of Sec. No. 1 & 12, from which a Poplar 10
ins. dia. bears N 45 E 36 lbs. & a B. Oak 30 ins. dia. bears
S 45 W 10 lbs. Thin soil Oak Timber, Brushy. Plenty
of Green Briers

North on E. Side of Sec. No. 1. T. I. S. R. I. E

- 12.00 Co a B. Oak 9 ins. dia
37.00 Co Boundary line, set post from which a W. Oak

J. I. S. R. D. C. of Mer.

10 ins. dia. bears 240 W 22 N. & a W. Oak 13 ins. dia. bears
21 N. cor. of Sec. No. 1. in T. 1. S. R. 1. E & cor. of Sec. No.
6. in T. 1. S. R. 2. E. Good upland Hickory & Beech Timber

* Note - For Residue of this town line, See end of Township

West	On S. Side of Sec. No. 36.
40.00	Set Temporary post
80.00	Set do do - Broken land, thin soil, Oak Timber
West	On S. side of Sec. No. 35
27.50	To Blue River 225 N. over course S 15 E
40.00	Set Temporary post
80.00	Set do do - Broken land, thin soil Oak & Hickory Timber
West	On S. side of Sec. No. 34
40.00	Set Temp. post
80.00	Set do do - Broken land, thin soil, Oak & Hickory Timber
West	On S. side of Sec. No. 33
40.00	Set Temp. post
80.00	Set do do - Broken land, thin soil, Oak & Hickory Timber
West	On South side of Sec. No. 32
33.00	To a Branch course S. over 50 N.
40.00	Set temporary post
80.00	Set do do - Broken land, thin soil, Oak Timber
West	On S. side of Sec. No. 31
40.00	Set temporary post
80.00	To R. line fell N. of the post 4 chains. Broken land, thin soil, Oak Timber
Run East	On the South side of Sec. No. 31. at true line
42.80	Established to Sec. post from which a Hickory 6 ins dia. bears N 14 E 9 N. & a B. Oak 12 ins. dia. bears S 50 E 22 N.
82.80	Set post at corner of Sec. No. 31 & 32 from which

T. A. T. R. D. E. of Mer. Ind.

a) Walnut 8 ins. dia. bears N 58 W 15 lbs. & Gum 10 ins. dia. bears N 74 E 10 lbs.

East On true line on the S. side of Sec. No. 32
 40.00 Established the $\frac{1}{4}$ Sec. post from which a Sugar tree 10 ins. dia. bears S 30 W 15 lbs. & a Sugar 12 ins. dia. bears N 43 E 24 lbs.
 80.00 Established post at the corner of Sec. No. 32 & 33 from which a Sugar tree 10 ins. dia. bears N 49 E 31 lbs. & a Dogwood 4 ins. dia. bears N 37 W 25 lbs.

East On the true line on the S. side of Sec. No. 33
 40.00 Established the $\frac{1}{4}$ Sec. post from which a cherry tree 12 ins. dia. bears N 65 E 22 lbs. & a B. Oak 12 ins. dia. bears N. 80 W. 19 lbs.
 80.00 Established Sec. post at the corner of Sec. No. 33 & 34 from which a Gum 5 ins. dia. bears N 65 E 13 lbs. & a Gum 7 ins. dia. bears N 63 W 6 lbs.

East On the true line on the S. side of Sec. No. 34
 40.00 Established the $\frac{1}{4}$ Sec. post from which a Gum 6 ins. dia. bears S 57 W 7 lbs. & a B. Oak 20 ins. dia. bears N 57 E 13 lbs.
 80.00 Established Sec. post at the cor. of Sec. No. 34 & 35 from which a W. Oak 18 ins. dia. bears N 58 E 17 lbs. & a Dogwood 4 ins. dia. bears S 57 E 4 lbs.

East On the true line on the S. side of Sec. No. 35
 40.00 Established the $\frac{1}{4}$ Sec. post from which a W. Walnut 4 ins. dia. bears East 6 lbs. & a Walnut 5 ins. dia. bears N 45 W 3 lbs.
 80.00 Established Sec. post at corner of Secs. No. 35 & 36 from which a Walnut 6 ins. dia. bears N 60 W 10 lbs. & a W. Oak 7 ins. dia. bears E. 8 lbs.

East On true line on the S. side of Sec. No. 36

T. 1 S., R. 2 E. 2^d. Mer. Ind.

40.00	Established the 1/4 Sec. post from which a W. Oak 5 ins. dia. bears S 5 E 39 lbs. & a B. Oak 8 ins. dia. bears N 30 W 19 lbs.
80.00	To Town corner
Note	For the E. boundary of T. See 9 th boundary T. 1 S. 2 E.
North	Between Sec. No. 35 & 36
11.50	To line W. Oak 18 ins. dia
25.00	To Blue River 150 lbs. over course W.
40.00	Set 1/4 Sec. post from which a Buck 15 ins. dia. bears N 1/4 E. 16 lbs. & a W. Oak 30 ins. dia. bears S 34 E 16 lbs.
58.50	To Vincennes Trace
70.00	To Blue River course E. over 30 chains
80.00	Set post at the cor. of Sec. No. 25, 26, 35 & 36 from which a Sugar tree 7 ins. dia. bears S 18 W 7 lbs. & a Sugar tree 5 ins. dia. bears S 8 E 13 lbs. Broken land good Soil. Timber Sugar Buck & Oak.
North	Between Sec. No. 34 & 35
27.50	To a line Hickory 12 ins. dia
40.00	Set 1/4 Sec. post from which a Hickory 10 ins. dia. bears S 6 E 18 lbs. & a Hickory 10 ins. dia. bears N 22 W lbs.
71.50	To line Hickory 12 ins. dia
80.00	Set post at the cor. of Sec. No. 34, 35, 26 & 27 from which an Alder 12 ins. dia. bears N 44 W 13 lbs. & a cherry 12 ins. dia. bears S 2 W 44 lbs. Broken land thin soil, Timber Oak & Hickory
North	Between Sec. No. 33 & 34
36.00	To line a Poplar 2 1/2 ins. dia
40.00	Set 1/4 Sec. post from which a Gum 10 ins. dia. bears N 45 E 22 lbs. & a Poplar 8 ins. dia. bears S 8 W 22 lbs.
80.00	Set post cor. of Sec. No. 27, 28, 33 & 34 W. Oak for post 18 ins. dia. from which a B. Oak 24 ins. dia. bears S 26 E 28 lbs. Broken land, thin soil. Oak Timber

S. A. S. R. 2. E. of Mer. Ind.

119

North	Between Sec. No. 32 & 33
28.00	To line Mr. Oak 12 ins. dia.
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 24 ins. dia. bears N 75 W 13 lbs. & a Mr. Oak 15 ins. dia. bears S 35 E 5 lbs.
50.00	Set post at the cor. of Sec. No. 28, 29, 32 & 33 from which a B. Oak 30 ins. dia. bears N 50 E $1\frac{1}{3}$ lbs. & a Mr. Oak 36 ins. dia. bears S 14 W 43 lbs. Rough broken land, thin soil, Oak Timber
North	Between Sec. No. 31 & 32
28.00	To line Hickory 10 ins. dia.
40.00	Set $\frac{1}{4}$ Sec. post, from which a Mr. Oak 48 ins. dia. bears S 25 W 35 lbs. & a Dog 8 ins. dia. bears N 33 E $1\frac{1}{4}$ lbs.
50.00	Set post at the cor. of Sec. No. 29, 30, 31 & 32 from which a Hickory 12 ins. dia. bears S 25 W 34 lbs. & a Buck 4 ins. dia. bears N 14 E 13 lbs. Broken land good soil, Poplar & Oak Timber.
West	Between Sec. No. 30 & 31
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 24 ins. dia. bears S $\frac{1}{4}$ W 12 lbs. & a B. Oak 24 ins. dia. bears N $\frac{1}{4}$ W 18 lbs.
52.75	To the R. line, full N. of the post 47 lbs., set post at the Cor. of Sec. No. 30 & 31. from which a Mr. Oak 12 ins. dia. bears S 10 E 13 lbs. & a Hickory 10 ins. dia. bears N 30 W 10 lbs. Rough broken land, thin soil, Oak Timber
East	Between Sec. No. 29 & 32
40.00	Set Sump. posts &c
50.00	To the corner full S. of the post 25 lbs. Rough broken land, thin soil, Oak & Hickory Timber
East	Between Sec. No. 28 & 33 Set temporary posts &c
50.05	To the corner full N. of the post 36 lbs. Broken land, thin soil, Oak Timber
East	Between Sec. No. 27 & 34,

H. A. S. R. I. E. of Mer.

79.91	Set Temporary post &c To the corner fell S. of the post 67 lbs. Broken land thin soil, Oak Timber
East	Between Sec. No. 26 & 35 Set Temporary posts, &c. To Vincennes trace 50.00 To Blue River course S 70 E 3 chs. over 80.00 To corner fell S. of the post 40 lbs. Broken land, thin soil, Oak Timber
East	Random line between Sec. No. 25 & 36 Set Temporary posts &c 79.90 To the corner fell S. 7 lbs.
West	On a true line 39.95 Set $\frac{1}{4}$ sec. post from which a Sugar-tree 8 ins. dia. bears N 45 W 10 lbs. & a Gum 12 ins. dia. bears S 25 E 20 lbs Broken land, thin soil, Oak Timber
North	Between Sec. 25 & 26 6.00 To Blue River course W. over 3 chs 40.00 Set $\frac{1}{4}$ sec. post from which a W. Oak 10 ins. dia. bears S 8 W 31 lbs. & a Dogwood 3 ins. dia. bears N 52 W 8 lbs 41.00 To Blue River course S 25 E over 2 chs 80.00 Set post at the cor. of Sec. No. 23. 24. 25 & 26 from which a B. Oak 18 ins. dia. bears S 10 W 30 lbs. & a W. Oak 12 ins. dia. bears N 30 E 14 lbs. Broken land, thin soil, Oak Timber
West	Established true line Between Sec. No. 26 & 35 40.00 Set $\frac{1}{4}$ sec. post from which a Hickory 10 ins. dia. bears N 50 E 18 lbs. & a W. Oak 18 ins. dia. bears N 58 W 14 lbs.
North	Between Sec. No. 26 & 27 31.00 To Vincennes Trace

121

T. I. S. R. D. E. of Mer. Ind.

40.00 Set $\frac{1}{4}$ Sec. post from which a Walnut 10 ins. dia. bears N 17° E 6 lbs. & a W. Oak 20 ins. dia. bears S 40° W 33 lbs.
 80.00 Set post at the cor. of Sec. No. 22. 23. 26 & 27 from which an Allum 6 ins. dia. bears S 18° E 19 lbs. & a W. Oak 10 ins. dia. bears N 24° W 28 lbs.
 Broken land, thin soil, Oak & Hickory Timber

West Established the true line between Sec. No. 27 & 34
 39.98 Set $\frac{1}{4}$ Sec. post from which a Dog 8 ins. dia. bears N 80° E 17° lbs. & a W. Oak 18 ins. dia. bears S 14° W 2 lbs.

North Between Sec. No. 27 & 28
 40.00 Set $\frac{1}{4}$ Sec. post from which a B. Oak 10 ins. dia. bears S 30° W 9 lbs. & a Hickory 12 ins. dia. bears N 5° W 24 lbs.
 63.20 To line B. Oak 36 ins. dia
 74.00 To Vincennes trace
 80.00 Set post at the cor. of Sec. No. 21. 22. 27 & 28 from which a W. Oak 15 ins. dia. bears S 25° E 17° lbs. & a W. Oak 11 ins. dia. bears N 56° W 15 lbs.
 Broken land thin soil. Oak Timber

West Established true line Between Sec. No. 28 & 33
 40.02 Set $\frac{1}{4}$ Sec. post from which a Gum 6 ins. dia. bears N 75° E 14° lbs. & a B. Oak 20 ins. dia. bears N 54° W 18 lbs.

North Between Sec. No. 28 & 29
 27.00 To a line (W. Oak) 12 ins. dia
 40.00 Set $\frac{1}{4}$ Sec. post from which a W. Oak 20 ins. dia. bears S 60° W 8 lbs. & a W. Oak 24 ins. dia. bears N 26° E 24 lbs.
 80.00 Set post at the cor. of Sec. No. 20. 21. 28 & 29 from which a W. Oak 16 ins. dia. bears N 88° W 18 lbs. & a Poplar 4 ins. dia. bears N 85° E 31 lbs.
 Broken land, thin soil, Oak Timber

West Established true line between Sec. No. 29 & 32
 40.00 Set $\frac{1}{4}$ Sec. post from which a Hickory 10 ins. dia. bears

T. L. R. D. E. of Mer. Ind.

	S 36 E 13 lks. & a Sugar-tree 3 ins. dia. bears N 74 E 12 lks.
North	Between Sec. No. 29 & 30
25.30	To line Poplar 25 ins. dia.
40.00	Set $\frac{1}{4}$ sec. post from which a Poplar 24 ins. dia. bears S 74 W 46 lks. & a Hickory 18 ins. dia. bears N 13 W 24 lks.
52.00	To Branch course E. over 25 lks.
80.00	Set post at the corner of Sec. No. 19, 20, 29 & 30. in falling timber, no bearing trees to be had, Broken land, thin soil, Oak Timber
West	Between Sec. No. 19 & 30
40.00	Set post in thicket, falling timber no bearing trees to be had
82.70	To Range line, fell N. of the cor. ^{Set post corner of 19 & 30} 53 lks. from which a W. Oak 30 ins. dia. bears S 19 W 33 lks. & a Hickory 14 ins. dia. bears N 20 W 47 lks. Broken land thin soil, under brush no Timber
East	Between Sec. No. 20 & 29 set temporary posts &c.
79.97	fell S. of the post 31 lks. at the corner Broken land, thin soil, Oak Timber
East	Between Sec. No. 21 & 28, set temporary posts &c.
62.00	To Vincennes trace
80.00	To the cor. fell S. of the post 18 lks. Broken land, thin soil, Oak Timber
East	Between Sec. No. 22 & 27. set temporary posts &c.
80.10	To the corner fell S. of the post 47 lks. Broken land, thin soil, Oak Timber
East	Between Sec. No. 23 & 26, set temporary posts &c.
9.10	To Blue River course S 45 E 2.10 lks. over
80.10	To the cor. fell S. of the post 60 lks. Broken land good soil Ash & Poplar Timber

S. I. L. R. L. Co. of Mer. Ind.

123

East 72.90	Between Sec. No. 24 & 25. Set Temporary post to the corner felt S. of the post 10 lbs. in Blue River course N. 40° W.
West 39.95	Established true line Set 1/2 Sec. post from which a W. Oak 6 ins. dia. bears N 67° W. 11 lbs. & a Hickory 12 ins. dia. bears N 37° E 34 lbs. Broken land, thin soil. Oak Timber
North 10.00 40.00 50.00 80.00	Between Sec. No. 23 & 24 To Blue River course N 20° W. over 2 chs. Set 1/2 Sec. post from which a Hickory 5 ins. dia. bears N 30° W 10 lbs. & a W. Oak 12 ins. dia. bears N 14° E 30 lbs. To Blue River N 20° E 2 chs. over Set post at the cor. of Sec. No. 13. 14. 23 & 24 from which a W. Oak 18 ins. dia. bears S 35° E 20 lbs. & a Hickory 15 ins. dia. bears N 7° E 15 lbs. — Broken land, thin soil. Oak Timber & Hickory.
West 40.05	Established true line between Sec. No. 23 & 26 Set 1/2 Sec. post from which a Beech 20 ins. dia. bears N 6° E 27 lbs. & a Beech 20 ins. dia. bears N 55° W 27 lbs.
North 40.00 80.00	Between Sec. No. 22 & 23 Set 1/2 Sec. post from which a W. Oak 20 ins. dia. bears N 48° W 15 lbs. & a Gum 6 ins. dia. bears N 8° E 15 lbs. Set post at the Cor. of Sec. No. 14. 15. 22 & 23 from which a W. Oak 11 ins. dia. bears S 35° E 15 lbs. & a Hickory 12 ins. dia. bears N 7° E 15 lbs. Broken land, thin soil. Oak Timber
West 40.05	Established true line between Sec. No. 22 & 27. Set 1/2 Sec. post from which a W. Oak 15 ins. dia. bears S 80° E 14 lbs. and a W. Oak 5 ins. dia. bears S 58° W 17 1/2 lbs.
North 9.50	Between Sec. No. 21 & 22 To line Hickory 12 ins. dia.

S. I. L. R. I. C. of Mer. Ind.

40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 18 ins. dia. bears N 30 E 24 lbs. & a Poplar 20 ins. dia. bears N. 8 lbs.
80.00	Set post at the corner of Sec. No. 15. 16. 21 & 22 from which a W. Oak 7 ins. dia. bears S 96 E 11 lbs. & a Hickory 8 ins. dia. bears N 71 W 82 lbs. — Broken land, good Soil Oak & Hickory Timber —
West	Established true line between Sec. No. 21 & 28
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 15 ins. dia. bears N 77 E 31 lbs. & a Dogwood 6 ins. dia. bears N 74 W 11 lbs
North	Between Sec. No. 20 & 21
35.00	No Vincennes trace
40.00	Set $\frac{1}{4}$ Sec. post in the barrens no bearing trees to be had
80.00	Set post at the cor. of Sec. No. 16. 17. 20 & 21 from which a W. Oak 12 ins. dia. bears S 25 W 93 lbs. & a W. Oak 6 ins. dia. bears S 79 E 31 lbs. Level land, good Soil fallen Timber small scrubby Oak & Hickory — thick M. G.
West	Between Sec. No. 20 & 29 established true line
39.98	Set $\frac{1}{4}$ Sec. post in a thicket from which a Dogwood 3 ins. dia. bears N 30 E 20 lbs. & a Hickory 11 ins. dia. bears N 70 W 60 lbs.
North	Between Sec. No. 19 & 20.
40.00	Set $\frac{1}{4}$ Sec. post from which a Dogwood 5 ins. dia. bears N 17 E 9 lbs. & a W. Oak 16 ins. dia. bears S 71 W 19 lbs.
53.00	No Vincennes trace
80.00	Set post at the cor. of Sec. No. 17. 18. 19 & 20 from which a W. Oak 18 ins. dia. bears N 3 E 24 lbs. & a Dogwood 8 ins. dia. bears S 10 W 11 lbs. — Broken land, good Soil. Oak Timber —
West	Between Sec. 18 & 19
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 30 ins. dia. bears S 22 W 27 lbs. & a W. Oak 30 ins. dia. bears S 27 E 25 lbs

T. A. S. R. D. Co. of Mer. Ind.

125

58.00	To Vincennes Trace
82.30	To the R. line, fell N. of the post 57 lbs. Broken Land, thin Soil Oak Timber, set post at the corner of Sec. 18 & 19 from which a B. Oak 12 ins. dia. bears N 40 W 10 lbs. & a W. Oak 22 ins. dia. bears N 16 W 8 lbs.
East 79.96	Between Sec. No. 17 & 20 set Temporary posts &c To the cor. fell S. of the post 64 lbs. Broken land, thin Soil, Oak Timber
East 80.14	Between Sec. No. 16 & 21 set Temporary posts &c To the corner, fell S. of the post 28 lbs. Broken land, thin Soil, Oak Timber
East 80.21	Between Sec. No. 15 & 22, set Temporary posts &c To the corner, fell N. of the post 43 lbs. Broken land thin Soil, Oak Timber
East 50.00 80.12	Between Sec. No. 14 & 23 set Temporary posts &c To Blue River course S. - over 2.10 lbs. To the corner, fell N. of the post 37 lbs. Broken land, thin Soil, Oak Timber.
East 3.00 80.00	Between Sec. No. 13 & 24 To Blue River course N. set Temporary posts &c To the corner, fell 5 lbs. S. of the post
West 40.00	Established the true line Set 7/4 Sec. post from which a Michx. 12 ins. dia. bears N 67 E 19 lbs. & Michx. 10 ins. dia. bears S 77 W 17 lbs. Broken Land thin Soil Oak Timber
North 1.00 40.00	Between Sec. No. 13 & 14 To Blue River course W. over 2 lbs. Set 7/4 Sec. post from which a Michx. 8 ins. dia. bears S 56 W 7 lbs. & Michx. 12 ins. dia. bears N 40 W 22 lbs.

T. J. L. N. D. E. of Mer. Ind.

80.00	Set the post in the Barrens, no bearing trees to be had, level land, thin soil, Oak Timber—
West	Established true line between Sec. No. 14 & 23
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 20 ins. dia. bears N 10 W 25 lbs. & a W. Oak 24 ins. dia. bears N 35 E 41 lbs.
North	Between Sec. No. 14 & 15
40.00	Set $\frac{1}{4}$ Sec. post from which a B. Oak 5 ins. dia. bears S 37 W 15 lbs. & a Hickory 12 ins. dia. bears N 21 E 16 lbs.
80.00	Set post at the corner of Sec. No. 14. 15. 10 & 11 in the Barrens no bearing trees to be had Oak Timber thin soil
West	Established true line between Sec. No. 15 & 22
40.10	Set $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears N 67 W 13 lbs. & a W. Oak 20 ins. dia. bears N 45 E 19 lbs.
North	Between Sec. No. 15 & 16
21.11	To a W. Oak 20 ins. dia.
40.00	Set $\frac{1}{4}$ Sec. post from which a W. Oak 20 ins. dia. bears S 52 E 16 lbs. & a Poplar 20 ins. dia. bears N 23 W 41 lbs.
80.00	Set the post at the corner of Sec. No. 9. 10. 15 & 16 from which a Hickory 6 ins. dia. bears N 48 E 8 lbs. & a Hickory 10 ins. dia. bears S 60 W 18 lbs. Potken land thin soil. Oak Timber.
West	Established true line between Sec. No. 16 & 21
40.07	Set $\frac{1}{4}$ Sec. post from which a W. Oak 6 ins. dia. bears S 65 W 6 lbs. & a Poplar 12 ins. dia. bears S 63 E 19 lbs.
North	Between Sec. No. 16 & 17.
40.00	Set $\frac{1}{4}$ Sec. post in fallen timber from which a dog-wood 4 ins. dia. bears N 14 E 30 lbs. & a W. Oak 8 ins. dia. bears S 30 W 25 lbs.
80.00	Set the post at the cor. of Sec. No. 8. 9. 16 & 17 from

127

T. I. S. R. I. E. of Mer. Ind.

	<p>which a W. Oak 20 ins. dia. bears S 40 E 37 lbs. 9 c.</p> <p>W. Oak 24 ins. dia. bears S 27 E 3 lbs. Rough broken land, thin soil, Timber - Oak & Hickory. Thick W. G.</p>
West 39.98	<p>Established true line between Sec. 17 & 20</p> <p>Set $\frac{1}{4}$ Sec. post from which a W. Oak 10 ins. dia. bears S 14 E 30 lbs. & a Hickory 15 ins. dia. bears N. 1 E 13 lbs.</p>
North 40.00 61.00 80.00	<p>Between Sec. No. 17 & 18</p> <p>Set $\frac{1}{4}$ Sec. post from which a Hickory 4 ins. dia. bears S 17 W 30 lbs. & a Hickory 4 ins. dia. bears N. 10 lbs.</p> <p>To line Hickory 12 ins. dia.</p> <p>Set post at the corner of Sec. No. 7 & 18 from which a Hickory 15 ins. dia. bears S 30 E 12 lbs. in a thicket no other bearing trees to be had</p> <p>Rough broken land, thin soil, Oak & Hickory. Timber</p>
West 40.00 82.00	<p>Between Sec. No. 7 & 18</p> <p>Set $\frac{1}{4}$ Sec. post from which a Hickory 12 ins. dia. bears N 12 W 6 lbs. & a Hickory 6 ins. dia. bears S 45 W 15 lbs.</p> <p>To R. line, full N. of the post 75 lbs. Set post at the cor. of Sec. No. 7 & 18. from which a W. Oak 20 ins. dia. bears S 13 W 14 lbs.</p> <p>Broken land, thin soil, Oak Timber</p>
East 83.10	<p>Between Sec. No. 8 & 17 set temporary posts & to the corner full N. of the post 59 lbs.</p> <p>Broken land, thin soil, Oak Timber</p>
East 79.97	<p>Between Sec. No. 9 & 16 set temporary posts & to the corner full S. of the post 39 lbs.</p> <p>Broken land thin soil, Oak Timber</p>
East 80.20	<p>Between Sec. 10 & 15. set Temporary posts & to the corner full N. of the post 74 lbs.</p> <p>Rough broken land, thin soil, Oak Timber</p>

J. I. L. R. D. E. of Mer.

East 80.10	Between Sec. No. 11 & 14 set Temporary posts &c To the cor. of the post 64 Mrs. Thin soil, barrens
West 40.05	Established the true line Set 1/2 Sec. post from which a B. Oak 4 ins. dia. bears N 10 E 4 Mrs. & a B. Oak 6 ins. dia. bears S 42 W 34 Mrs.
	Extensive barrens N & E. examined but could not find the boundary line between Sec. No. 11 & 12
North 25.00	Between Sec. No. 10 & 11 To supposed boundary line - Barrens.
West 40.00	Established true line between Sec. 10 & 13. Set 1/2 Sec. post from which a B. Oak 12 ins. dia. bears N 60 W 20 Mrs. & a Hick. 6 ins. dia. bears N 46 W 32 Mrs.
North 40.00 55.00	Between Sec. No. 9 & 10 Set 1/2 Sec. post from which a Walnut 12 ins. dia. bears S 25 W 12 Mrs. & a W. Oak 6 ins. dia. bears N 5 E 31 Mrs. Set post in the boundry line at the cor. of Sec. No. 9 & 10. from which a W. Oak 8 ins. dia. bears S 73 E 22 Mrs. & a B. Oak 18 ins. dia. bears N 70 W 24 Mrs. Broken land thin soil. Oak Timber
West 39.98	Established true line between Sec. No. 9 & 16 Set 1/2 Sec. post from which a W. Oak 12 ins. dia. bears N 12 W 20 Mrs. & a W. Oak 10 ins. dia. bears S 78 E 22 Mrs.
North 40.00 75.50	Between Sec. No. 8 & 9 Set 1/2 Sec. post from which a Hick. 12 ins. dia. bears N 13 E 17 Mrs. & a Dogwood 3 ins. dia. bears N 80 E 14 Mrs. Set post on the Boundry line at the cor. of Sec. No. 8 & 9 from which a Dogwood 8 ins. dia. bears N 78 W 20 Mrs. & a Hick. 6 ins. dia. bears S 45 W 8 Mrs. Broken land, thin soil. Oak Timber

T. A. S. R. I. E. Ind.

129

West Established true line between Sec. No. 8 & 14
40.05 Set $\frac{1}{4}$ Sec. post from which a W. Oak 12 ins. dia. bears
N 56 E 24 lbs. & a Dogwood 4 ins. dia. bears S 10 W 11 lbs.

North Between Sec. No. 7 & 8 T. A. S. R. I. E.
40.08 Set $\frac{1}{4}$ Sec. post in a thicket no bearing trees to be had
80.00 Set the post at the corner of Sec. No. 5 & 7 from
which a W. Oak 18 ins. dia. bears N 60 E 24 lbs. & a W. Oak 12
ins. dia. bears S 28 lbs. Broken land, thin soil, no Timber
thick under growth

North Between Sec. No. 5 & 6 T. A. S. R. I. E.
20.00 Set the post at the boundary line from which a B.
Walnut 18 ins. dia. bears N 70 W 4 lbs. & a Gum 5 ins. dia. bears
N 74 E 13 lbs. Broken land, thin soil, Oak Timber.

West Between Sec. No. 6 & 7
40.00 Set $\frac{1}{4}$ Sec. post from which a Hickory 10 ins. dia. bears
S 74 E 13 lbs. & a W. Oak 12 ins. dia. bears N 34 W 20 lbs.
82.90 To the R. line fell N. of the post 64 lbs. Set post at
the cor. of Sec. No. 6 & 7 from which a W. Oak 15 ins. dia.
bears N 10 W 30 lbs. & a W. Oak 6 ins. dia. bears S 70 E 10
lbs. Broken land, thin soil, Oak Timber

East Between Sec. No. 5 & 8
40.00 Set $\frac{1}{4}$ Sec. post from which a Gum 8 ins. dia. bears S 31 E
23 lbs. & a Hickory 12 ins. dia. bears N 70 E 15 lbs.
65.50 Set post on the boundary line from a Poplar 12 ins. dia. bears
N 23 lbs. & a W. Oak 6 ins. dia. bears S 5 E 20 lbs.
Broken land, thin soil, Oak Timber
Surveyed by Silas Bent. J. Sur.

North Between Sec. No. 13 & 14 from the $\frac{1}{4}$ mile post
80.00 Set post at the cor. to Sec. No. 11, 12, 13 & 14 T. A. S. R. I. E.
in Barrens & no bearing trees.

S. I. L. R. D. E. of W. Ind.

East	On a Random line between Sec. No. 12 & 13 S. I. S. R. D. E. This mile is not run through, it being through open Barrens & no timber
North	Between Sec. No. 11 & 12. S. I. S. R. D. E. 40.00 Set $\frac{1}{2}$ mile post in barrens 82.15 No a Hickory 10 ins. dia 80.00 Set post cor. to Sec. No. 1. 2. 11 & 12. S. I. S. R. D. E. from which a W. Oak 10 ins. dia. bears N 65 W 20 lbs. This mile over 3 ^d rate barrens.
East	On a Random line between Sec. 14 & 12. S. I. S. R. D. E. 40.00 Set temporary $\frac{1}{4}$ Sec. post 77.85 Intersected N & S line 76 lbs. N. of Sec. corner. Land hilly, Timber Oak & Hickory, 3 ^d rate & poor farming land
West	On a true line between Sec. No. 14 & 12. S. I. S. R. D. E. 38.97 Set temporary post at average distance for $\frac{1}{4}$ Sec. cor- pon which a Hickory 12 ins. dia. bears S 58 E 23 lbs. & a Hickory 19 ins. dia. bears S 75 W 18 lbs. 77.85 S. Sec. corner
North	Between Sec. No. 14 & 2. S. I. S. R. D. E. 40.00 Set $\frac{1}{2}$ mile post from which a W. Oak 7 ins. dia. bears S 69 E 11 lbs. & another 8 ins. dia. bears N 57 W 24 lbs. 96.87 Intersected Sec. & S. line 57 lbs. N. of Sec. corner, from which a W. Oak 10 ins. dia. bears S 23 W 15 lbs. & a Poplar 18 ins. dia. bears N 1 E 50 lbs. Land & Timber same.
North	Between Sec. No. 14 & 15. S. I. S. R. D. E. 40.00 Set $\frac{1}{2}$ mile post from which a Hickory 12 ins. dia. bears N 55 E 10 lbs. & another 9 ins. dia. bears S 39 W 49 lbs. 80.00 Set post cor. of Sec. 10. 11. 14 & 15. S. I. S. R. D. E. from which a Hackberry 8 ins. dia. bears S 52 W 13 lbs. & a Sugar 18 ins. dia. bears N 48 E 43 lbs.

T. 1. S. R. 2. E. of Mer. Ind.

	This mile middling level, Timber Oak Hick. Sugar-Walnut Oak &c. thick W. G. - Middling good farming land
East	On a Random line between Sec. No. 11 & 14. T. 1. S. R. 2. E.
40.00	Set temporary $\frac{1}{4}$ Sec. post
80.00	Intersected N & S line 60 lbs. N. of Sec. corner - This mile over Broken rich soil, Timber Oak Sugar tree Walnut Cherry &c. middling good farming land
West	On a true line between Sec. No. 11 & 14. T. 1. S. R. 2. E.
40.00	Set temporary post at average distance for $\frac{1}{4}$ Sec. cor. from which a P. Oak 15 ins. dia. bears S 88 W 30 lbs. & another 14 ins. dia. bears N 47 E 17 lbs
80.00	To Sec. corner.
North	Between Sec. No. 10 & 11. T. 1. S. R. 2. E.
27.50	Intersected Boundary line
40.00	Set $\frac{1}{4}$ mile post from which a (W. Oak) 7 ins. dia. bears S 53 W 11 lbs. & a Hickory 10 ins. dia. bears S 81 E 38 lbs.
80.00	Set post cor. to Sec. No. 2, 3, 10 & 11. T. 1. S. R. 2. E. from which a Hick. 7 ins. dia. bears N 56 E 25 lbs. & a P. Oak 8 ins. dia. bears S 56 W 7 lbs. - This mile through very brushy barrens - poor farming land
East	On a random line between Sec. No. 2 & 11. T. 1. S. R. 2. E.
40.00	Set temporary $\frac{1}{4}$ Sec. post
80.07	Intersected N & S line 93 lbs. N. of Sec. corner - Land hilly, 3 rd rate soil, - Timber Oak & Hick.
West	On a true line between Sec. No. 2 & 11. T. 1. S. R. 2. E.
40.00	Set temporary post at average distance for $\frac{1}{4}$ Sec. corner from which a W. Oak 15 ins. dia. bears N 33 W 50 lbs. & another 8 ins. dia. bears S 86 E 44 lbs.
80.09	To Sec. corner
North	Between Sec. No. 2 & 3. T. 1. S. R. 2. E.

S. 1. S. R. 2. E. of Mer. Ind.

22.00	a creek 20 lks. wide corner S. E
40.00	Set 1/2 mile post from which a Hick. 14 ins. dia. bears N 61 W 11 lks. & a W. Oak 18 ins. dia. bears S 38 E 24 lks.
45.00	a creek lks. wide corner S. W.
49.00	Intersected E & W. line 30 lks. E. of Sec. corner, from which intersection a Sugar tree 10 ins. dia. bears N 35 W. & a V. another 10 ins. dia. bears S 32 E 3 lks. This mile level. Timber Oak, Hick. Y. Walnut cherry &c. Good farming land.
West	On Random line, between Sec. No. 15 & 22. S. 1. S. R. 2. E
40.00	Set Temporary 1/4 Sec. post
49.00	Intersected N & S. line 2.08 lks. N. of Sec. corner
East	On a true line between Sec. No. 15 & 22. S. 1. S. R. 2. E
39.50	Set Temporary post at average distance for 1/4 Sec. corner from which a W. Oak 8 ins. dia. bears N 56 E 25 lks. & a Hick. Y. 14 ins. dia. bears S. 22 W 2 lks.
49.00	To Sec. corner this 1/2 mile post is 63 lks. 70 lks. from the old post set before
North	Between Sec. No. 15 & 16. S. 1. S. R. 2. E
40.00	Set 1/2 mile post from which a W. Oak 15 ins. dia. bears S 19 E 28 lks. & another 8 ins. dia. bears N 18 E 50 lks.
50.00	Set post corner to Sec. No. 9, 10, 15 & 16 S. 1. S. R. 2. E from which a Hick. Y. 10 ins. dia. bears N 14 E 52 lks. & another 14 ins. dia. bears S 23 W 33 lks. This mile over broken hilly land, Timber Oak & Hickory poor farming land
East	On a Random line between Sec. No. 10 & 15. S. 1. S. R. 2. E
40.00	1/2 mile post in barrens & no bearing trees. This mile is not run any further, the rest of the mile being through very brushy barrens & not much Timber
North	Between Sec. No. 9 & 10. S. 1. S. R. 2. E

T. A. S. R. D. E. of Mer. Ind.

40.00	Set $\frac{1}{2}$ mile post from which a Hickory 13 ins. dia. bears S 11 W 33 lbs. & another 14 ins. dia. bears N 44 W 20 lbs.
80.00	Set post cor. to Sec. No. 3. 4. 9 & 10. T. A. S. R. D. E. from which a W. Oak 9 ins. dia. bears S 19 E 12 lbs. & a R. Oak 15 ins. dia. bears N. (W. 24 lbs. The 1 st $\frac{1}{2}$ mile hilly, the last middling level & middling good farming land.
<hr/>	
East	On a Random between Sec. No. 3 & 10. T. A. S. R. D. E.
40.00	Set temporary $\frac{1}{4}$ Sec. post
79.42	Intersected N & D. line 150 lbs. S. of Sec. corner. this mile rolling or hilly, Timber Oak & Hickory
<hr/>	
West	On a true line between Sec. 3 & 10. T. A. S. R. D. E.
39.71	Set Temporary post at average distance for $\frac{1}{4}$ Sec. corner from which a Hickory 10 ins. dia. bears N 82 E 10 lbs. & a W. Oak 14 ins. dia. bears S 59 W 27 lbs.
79.42	To Sec. corner.
<hr/>	
North	Between Sec. No. 3 & 4. T. A. S. R. D. E.
20.00	a W. Oak 15 ins. dia
40.00	Set $\frac{1}{2}$ mile post from which a Poplar 15 ins. dia. bears S 20 W 50 lbs. & a Hickory 5 ins. dia. bears N 14 W 14 lbs.
99.33	Intersected E & W. line 1.18 lbs. E. of Sec. corner from which intersection a W. Oak 14 ins. dia. bears S 21 E 21 lbs. & a Hickory 14 ins. dia. bears N 5 E 18 lbs. This mile rather hilly Timber Oak & Hickory, poor 2 nd rate.
<hr/>	
North	Between Sec. No. 16 & 17. T. A. S. R. D. E.
40.00	Set $\frac{1}{2}$ mile post from which a Hickory 8 ins. dia. bears S 20 E 15 lbs. & a W. Oak 10 ins. dia. bears N 14 W 24 lbs.
80.00	Set post cor. to Sec. No. 8. 9. 16 & 17. T. A. S. R. D. E. from which a W. Oak 14 ins. dia. bears N 20 E 8 lbs. & another 15 ins. dia. bears S 31 W 30 lbs. This mile rolling land, Timber Oak & Hickory. W. G. Dog wood, poor 2 nd rate Soil.
<hr/>	
East	On a Random line between Sec. No. 9 & 16. T. A. S. R. D. E.

T. A. S. R. D. Co. of Mer. Ind.

40.00 Set temporary 1/2 Sec. post
 79.44 Intersected N & D. line 43 Mrs. S. of Sec. corner. This mile rather hilly. Timber & quality of the land the same

West On a true line between Sec. No. 94/6. T. A. S. R. D. Co.
 39.72 Set temporary post at average distance for 1/2 Sec. corner from which a Poplar 17 ins. dia. bears S. E. 3 Mrs & a Hickory 9 ins. dia. bears N 3 W 43 Mrs.
 79.44 To Sec. corner

North Between Sec. No. 8 & 9. T. A. S. R. D. Co.
 40.00 Set 1/2 mile post from which a Black 15 ins. dia. bears S 3 W 7 Mrs. & a W. Oak 9 ins. dia. bears N 21 W 20 Mrs.
 75.66 Intersected boundary line
 80.00 Set post cor. to Sec. No. 4. 5 & 8 & 9. T. A. S. R. D. Co. from which a Hickory 13 ins. dia. bears S 3 W 18 Mrs. & another 12 ins. dia. bears S 3 W 18 Mrs.
 Land & Timber same

East On Random between Sec. No. 4 & 9. T. A. S. R. D. Co.
 40.00 Set temporary 1/2 Sec. post
 79.00 Intersected N & D. line 113 Mrs. S. of Sec. corner. The 1st 1/2 mile land & timber same. The last good farming land. Timber Oak Hick. Walnut &c.

West On a true line between Sec. No. 4 & 9. T. A. S. R. D. Co.
 39.50 Set temporary 1/2 Sec. post at average distance for 1/2 Sec. corner from which a Poplar 30 ins. dia. bears S 60 W 5 Mrs. & a Walnut 9 ins. dia. bears N 60 E 12 Mrs.
 79.00 To Sec. corner.

North Between Sec. No. 4 & 5. T. A. S. R. D. Co.
 24.50 a Brook 7 Mrs. wide course E.
 40.00 Set 1/2 mile post from which a Poplar 20 ins. dia. bears S 2 W 18 Mrs. & a W. Oak 3 1/2 ins. dia. bears N 39 E 47 Mrs.
 99.28 Intersected N & D. line 147 Mrs. E. of Sec. corner, from

T. I. S. R. D. E. of Mer. Ind.

which intersection a Sugar 8 ins. dia. bears N 75 E 11 lbs.
 & a B Gum 30 ins. dia. bears N. 16 lbs. This mile part
 rolling & part broken, Timber Oak Buck Sugar-tr
 Walnut & Poplar. The last 1/2 mile middling good farming
 land.

West On a Random line between Sec. No. 17 & 20. T. I. S. R. D. E.
 40.00 Set Temporary 1/4 sec. post
 82.50 Intersected N & S. line 52 lbs. N. of Sec. corner. Land
 broken. Timber Oak Hickory Poplar Cherry &c. thick
 under-growth - poor farming land.

East On a true line between Sec. 17 & 20 T. I. S. R. D. E.
 41.25 Set Temporary post at average distance for the Sec. Corner
 from which a B. Oak 14 ins. dia. bears S 23 W 20 lbs. & a
 Hickory 12 ins. dia. bears S 23 E 15 lbs.
 81.82 Sec. Corner

South On Random line between Sec. No. 20 & 21. T. I. S. R. D. E.
 40.00 Set Temporary 1/4 sec. post in barrens & no bearing trees
 at the 1/2 mile post found the old line S lbs. E. which
 run from corner of Sec. 20. 21. 28 & 29 - corrected our line
 back to cor. of Sec. No. 16. 17. 20 & 21. The length of this
 mile is 80. 10 lbs. Land rather hilly & broken, some
 Barrens. Timber Oak & Hick. poor farming land.

West On a Random line between Sec. No. 20 & 29. T. I. S. R. D. E.
 40.00 Set Temporary 1/4 sec. post
 81.00 Intersected N & S. line 16 1/2 lbs. S. of Sec. corner or from
 the intersection of the old line for there was no post
 set - Set post cor. of Sec. No. 19. 20. 29 & 30. T. I. S.
 R. D. E. in the intersection of the old lines from which
 a Dogwood 7 ins. dia. bears S 78 W 28 lbs. & a W. Oak 18 ins.
 dia. bears S 78 E 10 1/4 lbs. Land & Timber same

East On a true line between Sec. 20 & 29. T. I. S. R. D. E.

T. 1. S. R. 2. E. of Mor. Ind.

40.50	Set Temporary post at average distance from the Sec corner, from which a Hickory 9 ins. dia. bears N 41 E 60 lbs. & a B. Oak 8 ins. dia. bears S 5 N 46 lbs
81.00	To Sec. corner
North	Between Sec. No. 19 & 20 T. 1. S. R. 2. E
40.00	Set 1/2 mile post from which a B. Gum 9 ins. dia. bears N 36 W 14 lbs. & another 7 ins. dia. bears S 21 E 36 lbs.
57.00	a small brook course N. E
78.18	Intersected E & W. line 5.00 lbs. E. of Sec. corner [the old corner made before] from which intersection a W. Oak 12 ins. dia. bears N 13 W 58 lbs. & a Cherry 12 ins. dia. bears N 1. W 12 lbs. The 1st 1/2 mile very poor. The last 1/2 good farming land
†	See last page of this Township
North	Between Sec. No. 17 & 18 T. 1. S. R. 2. E
40.00	Set 1/2 mile post from which a B. Gum 8 ins. dia. bears N 18 E 12 lbs. & another 7 ins. dia. bears S 41 W 2 lbs
80.00	Set post cor. to Sec. No. 7 & 18 T. 1. S. R. 2. E. from which a B. Gum 9 ins. dia. bears N 48 E 30 lbs. & a Dogwood 7 ins. dia. bears S 72 W 22 lbs. Land broken Timber Oak & Hickory thick W. G. Poor farming land
East	On Random line between Sec. 8 & 17 T. 1. S. R. 2. E
40.00	Set Temporary 1/2 Sec. post
80.90	Intersected N & S line 60 lbs. S. of Sec. corner. Land & Timber same. W. G. Dogwood & Asparagus.
West	On a true line Between Sec. 8 & 17 T. 1. S. R. 2. E
40.45	Set temp. post at average distance from the Sec. corner from which a Dogwood 5 ins. dia. bears S 3 E 21 lbs & a Poplar 30 ins. dia. bears N 2 W 40 lbs
80.70	To Sec. corner
West	Between Sec. No. 7 & 18 T. 1. S. R. 2. E.

T. I. S. R. No. 2. E. of Mer. Ind.

137

40.00	Set $\frac{1}{2}$ mile post from which a W. Oak 10 ins. dia. bears N 32° W 34 lbs. & another 27 ins. dia. bears S 32° E 15 lbs.
85.59	Intersected N & S. line 5 lbs. N. of the post set before from which Intersection a W. Oak 18 ins. dia. bears N 74° E 59 lbs. & another 14 ins. dia. bears S 41° W 8 lbs. Land & Timber same
North	Between Sec. No. 7 & 8. T. I. S. R. 1. E
40.00	Set $\frac{1}{2}$ mile post from which a Hickory 14 ins. dia. bears N 78° E 27 lbs. & a P. Oak 12 ins. dia. bears S 69° W 34 lbs
80.00	To post cor. to Sec. 5. b. 7 & 8. T. I. S. R. 2. E. from which a Hickory 13 ins. dia. bears N 75° E 13 lbs. & another 13 ins. dia. bears S 63° W 18 lbs. Land rather hilly. Timber Oak & Hickory, poor farming land
East	On a Random line between Sec. No. 5 & 8. T. I. S. R. 2. E
5.50	A small Spring course W.
40.00	Set Temp. y. To Sec. post
80.37	Intersected N & S. line 1.60 lbs. S. of Sugar. Corner Land & Timber same
West	On true line between Sec. No. 5 & 8. T. I. S. R. 2. E
40.18	Set Temp. y. post at average distance for $\frac{1}{2}$ Sec. corner from which a Dogwood 6 ins. dia. bears S 27° E 30 lbs. & a Poplar 18 ins. dia. bears N 68° W 25
80.57	To Sec. Corner
West	Between Sec. No. 6 & 7. T. I. S. R. 2. E
40.00	Set $\frac{1}{2}$ mile post from which a W. Oak 18 ins. dia. bears N 35° W 29 lbs. & a P. Oak 20 ins. dia. bears S 35° E 34 lbs
84.69	Intersected N & S. line 9.44 lbs. S. of the $\frac{1}{2}$ mile post from which intersection a W. Oak 14 ins. dia. bears N 45° E 24 lbs. & another 14 ins. dia. bears S 67° W 33 lbs This mile rolling land. Timber Oak Hickory Poplar cherry Walnut & middling farming land.

I. A. S. R. 2. E. of Mer. Ind.

North (Between Sect. No. 546. I. A. S. R. 2. E.
 40.00 Set 1/2 mile post from which a (W. Oak) 18 ins. dia. bears
 S 86 E 29 lbs. & Hickory 13 ins. dia. bears N 27 W 47 lbs.
 59.79 To a (W. Oak) 24 ins. dia.
 92.56 a large Spring — lks. course West
 98.80 Intersected E & W. line 153 lbs. E. of Sec. corner
 from which intersection a Hickory 10 ins. dia. bears
 S 6 W 31 lbs. & a Poplar 12 ins. dia. bears N 6 E 18 lbs.
 Sand & Timber same, middling good farming
 land.

Variation of the compass 5.40

Surveyed by Wm. Harris

✱

West Between Sect. No. 18 & 19 I. A. S. R. 2. E.
 40 00 Set 1/2 mile post in the Old line from which
 a B. Gum 10 ins. dia. bears S 32 E 4 lbs. & a Dogwood
 4 ins. dia. bears N 7 E 12 lbs. —

I certify that the foregoing Transcript
 of the Field notes of Township No. 1 South
 Range No. 2 East of the 2^d Mer. has been
 compared with the original in this office
 and found to be correct

Surveyor General's Office
 Cincinnati, Feb. 11. 1841.

E. J. Reines
 S. G. 2

T.S. R2E. 2nd Mer. Indiana

139

- * North on Range line from Cor. to Sec. 14, 12, T1S. R1E
 38.70 Old Indian boundary line
 40.00 Set the qt. See post, from which a
 Gum 10 in. dia. bears N52W 8 lks. dist & a
 do 12 " " " " S11E 22 " "
 59.80 a W. Oak 12 in. dia.
 88.40 Set a post on the Base line Cor. to Towns N14S,
 Range 14E 2nd Mer. from which a
 W. Oak 12 in. dia. bears S37W 20 lks. dist & a
 Logwood 8 " " " " N25E 24 " "
 Surveyed in 1806 by Arthur Chinnic, D.S.